

Pediatric Emergency Medicine Fellowship Log book

Procedure	Total Number required	Observed	Performed	Simulated	Remarks
General					
Restraint techniques	4	1	1	2	
Gastrostomy tube replacement	2	1	1	0	
Trauma and Resuscitation					
Trauma code	10	2	6	2	
C-Spine immobilization	4	1	2	1	
Chest tube	10	2	4	4	
Needle thoracostomy	4	1	1	2	
Pediatric resuscitation (PALS) team leader	30	5	10	15	
Chest compression	10	0	6	4	
BMV	10	2	6	2	
LMA	2	0	1	1	

Rapid sequence induction for intubation (RSI)	20	5	10	5	
NIV setting	4	1	2	1	
Initiation of mechanical ventilation	4	1	2	1	
Cardioversion	4	1	2	1	
IO	6	2	2	2	
Central line	6	2	1	3	
Procedural sedation Analgesia (PSA)	20	5	10	5	
Removal of supraglottic foreign body	3	1	1	1	
Transcutaneous Cardiac pacing	4	2	0	2	
Dental / OMF					
Reimplantation of an avulsed permanent tooth	2	1	0	1	Can be done in adult or children to acquire the skill or simulated
Reduction of temporomandibular joint dislocation	2	1	0	1	Can be done in adult or children to acquire the skill or simulated
ENT					

Acute upper airway foreign body removal	4	2	0	2	
Removal of impacted cerumen	4	2	2	0	
Foreign body removal from the external auditory canal	4	1	1	2	
Management of epistaxis	4	2	2	0	Can be done in adult or children to acquire the skill or simulated
Nasal foreign body removal	4	2	1	1	
Neurological					
Lumbar puncture	10	2	4	4	
Orthopedics / injuries					
Splinting /casting procedures	6	2	2	2	
Reduction of common dislocations	6	2	2	2	
Closed reductions under sedation in the emergency department	4	2	0	2	

Wound closure	20	2	8	10	
Digital Block	8	2	2	4	
Nail-bed Repair	4	1	3	0	Can be done in adult or children to acquire the skill or simulated
Paronychia	4	1	3	0	Can be done in adult or children to acquire the skill or simulated
Trephination	4	1	2	1	Can be done in adult or children to acquire the skill or simulated
Splinter Removal	2	1	1	0	Can be done in adult or children to acquire the skill or simulated
Fish hook Removal	4	1	1	2	Can be done in adult or children to acquire the skill or simulated
Abscess I&D	4	1	2	1	Can be done in adult or children to acquire the skill or simulated

General Comments:

- 1- You can have more in performed and less in observed or simulated but the confirmed can't be less than what is indicated.
- 2- If simulation is not available or not possible then that number to be divided 50% on observed and 50% on performed.
- 3- Number of Observed can be done in Simulation either as observed in Simulation or performed in simulation.